

## Attachment A

# Mitigation Monitoring Program to Ensure Fulfillment of All Environmental and Related Commitments in the Final EIS, the Record of Decision, and the Section 106 Programmatic Agreement

## Honolulu High-Capacity Transit Corridor Project

January 2011

## Introduction to Mitigation Monitoring Program

This Attachment describes the environmental Mitigation Monitoring Program that will be conducted by the City and County of Honolulu (City), or its successor agency, and the FTA for the Project that is the subject of this environmental Record of Decision (ROD). The purpose of the Mitigation Monitoring Program is to ensure the execution of all environmental and related commitments made in the Final EIS, in this ROD, and in the Section 106 Programmatic Agreement (PA) for the Project. The mitigation commitments identified for the Project in the Final EIS, ROD, and PA must be implemented by the City (or its successor agency) if the Project proceeds with any FTA financial assistance. These mitigation measures are now incorporated into the definition of the Project. The City (or its successor agency) is prohibited from withdrawing or substantially changing any of the mitigation commitments identified in the Final EIS, ROD, and PA for the Project without express written approval by FTA. In addition, any change to the Project that may involve new or changed environmental or community impacts not yet considered in the existing environmental record must be reviewed in accordance with FTA environmental procedures (23 CFR Part 771.130) and approved by FTA.

Upon FTA's signing of the ROD, the City (or its successor agency) will immediately initiate the Mitigation Monitoring Program and continue it during final design, construction, and start-up of the Project. The purposes of the Mitigation Monitoring Program are: (1) to assist City (or its successor agency) in fulfilling its commitments set forth in the Final EIS, ROD, and PA; and (2) to give FTA a means of checking that its mitigation commitments are, in fact, being met. The Mitigation Monitoring Program will consist of three activities:

- The City (or its successor agency) shall maintain and update the list or database of mitigation commitments provided in this Attachment. Updates shall add to the list or database any environmental commitment resulting from the consultations required in the environmental record, from permits issued by Federal, State, or City agencies, and from new information that may become available as archaeological investigations and construction proceed.
- Tracking the status of the implementation of each mitigation measure by the City (or its successor agency).
- Quarterly review of the Program by the City (or its successor agency) and FTA.

This Attachment is also intended to assist the City (or its successor agency) in meeting its commitments and responsibilities by providing a summary list of the environmental commitments, consultations, and mitigation measures stipulated in the Project's

environmental record. The Final EIS, the PA, and other parts of the ROD provide the needed details about each item listed in this Attachment. The City (or its successor agency) can use this Attachment to incorporate the environmental commitments and mitigation requirements into the Project's plans and specifications and contract documents.

| Mitigation ID and Reference                   | Mitigation Measure  | Timing of Mitigation Measure        | Responsible Party for Implementing Mitigation                   | Status of Implementation of this Project Element |
|---|---|-------------------------------------|---|--|
| <b>Property Acquisition and Displacements</b> |   |                                     |   |  |
| A01<br>FEIS Sec.4.4                           | Where relocations will occur, the City will compensate the affected property owners, businesses, and residents in accordance with the Uniform Relocation Assistance and Real Property Acquisition Policies Act (49 CFR part 24).  | Design and right-of-way acquisition | City with the right-of-way (ROW) team                           |  |
| A02<br>FEIS Sec.4.4                           | The City will assist all persons and businesses displaced by the Project in locating suitable replacement housing and business sites within an individual's or business's financial means.  | Design and right-of-way acquisition | City with the ROW team and General Engineering Contractor (GEC) |  |
| A03<br>FEIS Sec.4.4                           | The City will acquire any real property or real property rights needed for the Project in accordance with Uniform Relocation Assistance and Real Property Acquisition Policies Act (49 CFR part 24). The Real Estate Acquisition Management Plan (RAMP) approved by FTA will be used to monitor compliance parcel by parcel.            | Design and right-of-way acquisition | City with the ROW team and GEC                                  |  |
| A04<br>FEIS Sec.4.4                           | The City will provide relocation services to all displaced business and residential property owners and tenants without discrimination; persons, businesses, and organizations displaced as a result of the Project will be treated fairly and equitably.   | Design and right-of-way acquisition | City with the ROW team  |  |
| A05<br>FEIS Sec.4.4                           | Where landscaping, sidewalks, or driveway access will be affected by the Project, coordination will occur with the landowner, and these property features will be replaced, or the property owner will be compensated in accordance with the Uniform Relocation Assistance and Real Property Acquisition Policies Act (49 CFR part 24). | Design and Construction             | City with the GEC and, design and construction contractors      |  |
| A06<br>FEIS Sec. 4.4                          | For ceded lands within the Project right-of-way, ownership of these lands will not change. The City will obtain the appropriate permissions from the State for any ceded lands needed for the Project.  | Design and right-of-way acquisition | City with the ROW team  |  |
| A07<br>ROD                                    | To the extent that the Banana Patch community so desires, it will be relocated as a community to a location where its unique lifestyle can be maintained. This mitigation exceeds the requirements of the Uniform Relocation Assistance and Real Property Acquisition Policies Act and is needed to comply with Executive Order 12898.  | Design and right-of-way acquisition | City with the ROW team  |  |

| Mitigation ID and Reference | Mitigation Measure  | Timing of Mitigation Measure        | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|---|-------------------------------------|---|--|
| <b>Community Facilities</b> |   |                                     |   |  |
| CF01<br>FEIS Sec. 4.5       | The City will negotiate partial acquisition or a property use agreement with the University of Hawai'i System. The City will replace light posts that are removed at Honolulu Community College.  | Design and construction             | City with the Segment IV contractors          |  |
| CF02<br>FEIS Sec. 4.5       | The City will replace or relocate on school property the affected portable buildings at Waipahu High School. The City will construct a retaining wall and a new access road to the football field.  | Design and construction             | City with the Segment I contractors           |  |
| CF03<br>FEIS Sec. 4.5       | The City will relocate the portable administration buildings and parking spaces at Leeward Community College. The City will negotiate partial acquisition or a property use agreement with the University of Hawai'i System for the needed land under its control.                      | Design and construction             | City with the Segment I contractors           |  |
| CF04<br>FEIS Sec. 4.5       | For the land needed at the UH Manoa Urban Garden Research Center, the City will negotiate partial acquisition or a property use agreement with the University of Hawai'i System.  | Design and construction             | City with the Segment I contractors           |  |
| CF05<br>FEIS Sec. 4.5       | The City will negotiate a partial acquisition or a property use agreement with the Federal government for the following properties:<br>Nimitz Field<br>Pearl City Post Office<br>Honolulu Post Office<br>Prince Kūhiō Kalaniana'ole Federal Building/Courthouse<br>Pearl Harbor Complex | Design and right-of-way acquisition | City with the GEC                             |  |
| CF06<br>FEIS Sec. 4.5       | The City will negotiate a partial acquisition or a property use agreement with the State for:<br>O'ahu Community Correctional Center and<br>Honolulu International Airport.   | Design and right-of-way acquisition | City with the GEC                             |  |
| CF07<br>FEIS Sec. 4.5       | The City will coordinate with other agencies and stakeholders on the design of the streetscape affected by the Project.   | Design and construction             | City with the Design contractors              |  |
| CF08<br>FEIS Sec. 4.17      | The City shall require the design of the vehicle storage and maintenance facility to achieve a LEED certification at the "Silver" level.  | Design and construction             | City with the Design contractors              |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation     | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| <b>Visual</b>               |  |                              |   |  |
| V01A<br>FEIS Sec. 4.8       | The City shall develop and apply design guidelines that will establish a consistent design framework for the Project with consideration of local context. The City will ensure that the Project's design guidelines are followed.                                      | Design and Construction      | City with the Design and Construction contractors |  |
| V01B<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that guideway materials and surface textures be selected in accordance with generally accepted architectural principles to achieve integration between the guideway and its surrounding environment. | Design                       | City with the Design contractors                  |  |
| V01C<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that stations and park-and-ride facilities be designed in a manner that is compatible with the surroundings and are well integrated into the existing urban fabric.                                  | Design                       | City with the Design contractors                  |  |
| V01D<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the Project's lighting fixtures incorporate directional shielding where needed to avoid the intrusion of light into sensitive land uses.  | Design                       | City with the Design contractors                  |  |
| V01E<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that landscaping is used to screen traction power substations in sensitive areas such as residential areas.  | Design                       | City with the Design contractors                  |  |
| V01F<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that traction power substations be integrated into larger structures in the central business district, to the extent possible.   | Design                       | City with the Design contractors                  |  |
| V01G<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the Project's signage, materials, street furniture, landscaping, and other detailed design elements enhance the visual environment to the extent possible.                                      | Design                       | City with the Design contractors                  |  |
| V01H<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the physical form of the Project stations and support facilities embody Honolulu's and Hawaii's rich cultural heritage.   | Design                       | City with the Design contractors                  |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| V01I<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the station designs be context-sensitive, and that each station be functionally integrated with its surroundings and culturally expressive of its location.   | Design                       | City with the Design contractors              |  |
| V01J<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the lighting design at stations influence the attractiveness of the stations.   | Design                       | City with the Design contractors              |  |
| V01K<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that glare and light spill from transit station lights and reflective surfaces be minimized.   | Design                       | City with the Design contractors              |  |
| V01L<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the Project use full cut-off luminaries (fixture and lamp design) and low-reflective surfaces.  | Design                       | City with the Design contractors              |  |
| V01M<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that light sources in the Project's parking structures not be visible from outside the structure, including the lights on the top decks.   | Design                       | City with the Design contractors              |  |
| V01N<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the Project's place in Hawaii be defined by creating an inspired ground plane with landscape planting, paving, and furniture.   | Design                       | City with the Design contractors              |  |
| V01O<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that architectural design components unify the guideway and stations over the entire project. To achieve this unity, the City will ensure that the Project's design guidelines require that design elements be repeated in all stations although certain materials be varied based on the community context. | Design                       | City with the Design contractors              |  |
| V01P<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the Kapalama Station have a special planting of true kamani trees.  | Design                       | City with the Design contractors              |  |
| V01Q<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that trees displaced by the Project be transplanted to other areas if possible, and that the wood from trees not transplanted be repurposed.   | Design                       | City with the Design contractors              |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| V01R<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require: that street tree plantings or transplantings occur adjacent to stations and along the alignment wherever existing streetscape is affected by the Project; that these tree plantings be placed every 50 feet in residential areas and every 40 feet in commercial areas; and that trees be planted a minimum of 3 feet from curbs and 2 feet from the edge of sidewalks. | Design                       | City with the Design contractors              |  |
| V01S<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that planting and paving design play a pivotal role in increasing station identity and direct patrons to the station entrance.   | Design                       | City with the Design contractors              |  |
| V01T<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that station approaches link entry plazas with drop-off lanes and public walkways in ways that allow for pedestrian circulation and seating.   | Design                       | City with the Design contractors              |  |
| V01U<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that tall vertical plantings or native vines be used to minimize the visibility of traction power substations.   | Design                       | City with the Design contractors              |  |
| V01V<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that a minimum of 5 foot walkways be provided around all traction power substations that are near stations.  | Design                       | City with the Design contractors              |  |
| V01W<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the guideway columns be softened in appearance and be protected from graffiti by planting native vines that will cover the column, and that the surface texture of the columns be designed to encourage vine attachment and growth.   | Design                       | City with the Design contractors              |  |
| V01X<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that plant material be used to provide human scale impressions of the Project.   | Design                       | City with the Design contractors              |  |
| V01Y<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that the guideway columns be softened by plantings in specified areas.   | Design                       | City with the Design contractors              |  |
| V01Z<br>FEIS Sec. 4.8       | The City will ensure that the Project's design guidelines require that station designs provide for tree relocations in the station area.   | Design                       | City with the Design contractors              |  |



| Mitigation ID and Reference | Mitigation Measure  | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation                           | Status of Implementation of this Project Element |
|-----------------------------|---|------------------------------|---|--|
| V02<br>FEIS Sec. 4.8        | The City will ensure that a certified arborist will decide which trees should be transplanted, where they should be transplanted, and where new trees should be planted and to advise on all other Project matters related to trees.  | Design and construction      | City with the design and construction contractors                       |  |
| V03<br>FEIS Sec. 4.8        | The City will ensure that the Project's design guidelines require that the certified arborist for the Project decide which existing trees should be protected in place.   | Design                       | City with the Design contractors  |  |
| V04<br>FEIS Sec. 4.8        | The City will ensure that the materials used in station construction are consistent with the cultural and historic guidance and recommendations set forth in the Design Language Pattern Book.  | Design and construction      | City with the design and construction contractors                       |  |
| V05<br>FEIS Sec. 4.8        | The City shall coordinate Project design with planning for Transit Oriented Development (TOD) by the City Department of Planning and Permitting (DPP).  | Design                       | City with the Design contractors for all segments and stations          |  |
| V06<br>FEIS Sec. 4.8        | The City shall consult with the communities surrounding each station for input on station design elements through a series of well-advertised station design workshops that solicit community input and ideas about the interface between each station and the surrounding community. | Design                       | City with the Design contractors for all stations                       |  |
| V07<br>FEIS Sec. 4.8        | The City will ensure that the Project's street-level visual impacts are mitigated by landscape and streetscape improvements   | Design and construction      | City with the design and construction contractors                       |  |
| V08<br>FEIS Sec. 4.8        | The City shall engage a qualified landscape architect to prepare plans for landscape and streetscape improvements, including new plantings, to mitigate the visual impacts of the Project.  | Design and construction      | City with the Design contractors for all segments and stations          |  |
| V09<br>FEIS Sec. 4.8<br>PA  | The City will implement Design Standard requirements as set forth in Stipulation IV of the Section 106 Programmatic Agreement (PA), including the completion of neighborhood design workshops and the review of preliminary designs by the PA signatories and concurring parties.     | Design                       | City with the Design contractors for all guideway segments and stations |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation         | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| <b>Landscaping</b>          |  |                              |   |  |
| T01<br>FEIS Sec. 4.15       | The City shall ensure that existing trees affected by the Project are transplanted to areas as close to their original locations as feasible or are replaced with new trees.   | Design and construction      | City with the designers and construction contractors  |  |
| T02<br>FEIS Sec. 4.15       | The City will ensure that, if planting a new tree does not offer comparable vegetation to the older mature tree that was removed, additional young trees will be planted that will shortly develop benefits similar to those of the mature tree removed.   | Design and construction      | City with the designers and construction contractors  |  |
| T03<br>FEIS Sec. 4.15       | The City shall ensure that street tree pruning, removal, and planting complies with local ordinances and is supervised by a certified arborist engaged in the Project. .   | Design and construction      | City with the designers and construction contractors  |  |
| T04<br>FEIS Sec. 4.15       | The City shall ensure that the locations of transplanted plants are specified by the certified arborist engaged for the Project and that the certified arborist uses the criteria presented on page 4-175 of the FEIS in determining transplant locations.   | Design and construction      | City with the designers and construction contractors  |  |
| T05<br>FEIS Sec. 4.15       | The City shall require trees suitable for transplanting displaced by construction to be relocated to a tree nursery until they can be transplanted to another part of the Project area.  | Design and construction      | City with the designers and construction contractors. |  |
| T06<br>FEIS Sec. 4.15       | Wherever the Project requires the removal of trees, the City shall require that a landscaping plan with new plantings that provide similar advantages to the community is developed and implemented.   | Design and construction      | City with the designers and construction contractors  |  |
| IS01<br>FEIS                | The City shall ensure that all new plantings be non-invasive plants as defined by the Hawai'i Chapter of the American Society of Landscape Architects, and that native plants be used wherever appropriate.  | Design and construction      | City with the designers and construction contractors. |  |
| <b>Natural Resources</b>    |  |                              |   |  |
| NR01<br>FEIS Sec. 4.13      | The City will secure a Certificate of Inclusion from the State in the existing Habitat Conservation Plan (HCP) for ko'olua'ula and will follow all the measures and requirements in the existing HCP. If a new HCP is needed, or if the existing HCP needs to be amended for any reason, the City will implement the measures outlined by the USFWS in the new or amended HCP. | Design and construction      | City with the design and construction contractors     |  |

| Mitigation ID and Reference              | Mitigation Measure  | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation     | Status of Implementation of this Project Element |
|--|---|------------------------------|---|--|
| NR02<br>ROD                              | The City shall monitor the requirements of the ko'oloa'ula HCP applicable to this Project, in coordination with the USFWS, by adding them to this mitigation monitoring program.  | Design and construction      | City with the design and construction contractors |  |
| <b>Pedestrian and Bicycle Facilities</b> |   |                              |   |  |
| PB01<br>FEIS Sec. 3.4                    | The City will design and build all sidewalks created or modified by the project to ADA standards.   | Design and construction      | City with the design and construction contractors |  |
| PB02<br>FEIS Sec. 3.4                    | The City will widen the curb lane on Kamehameha Highway to 13 feet to facilitate its designation as a bike route.   | Design and construction      | City with the design and construction contractors |  |
| PB03<br>FEIS Sec. 3.4                    | In accordance with Table 3-25 of the Final EIS, the City will provide sidewalks of the width specified in the Table when building or modifying sidewalks on Farrington Highway, Dillingham Boulevard, and Kamehameha Highway. | Design and construction      | City with the design and construction contractors |  |
| PB04<br>FEIS Sec. 3.4                    | The City will connect the rail station at the airport to the overseas and interisland terminals with ground-level pedestrian walkways.  | Design and construction      | City with the design and construction contractors |  |
| <b>Other Transportation Facilities</b>   |   |                              |   |  |
| OT01<br>FEIS Sec. 3.4                    | The City will coordinate with the Federal Aviation Administration, the Airports Division of the Hawaii DOT, and the U.S. Postal Service on the design of the guideway and station at the Airport.                             | Design                       | City  |  |
| OT02<br>FEIS Sec. 3.4                    | 45 days prior to commencing construction at the Airport, the City will notify the FAA by appropriate means.   | Design prior to Construction | City  |  |

| Mitigation ID and Reference    | Mitigation Measure  | Timing of Mitigation Measure        | Responsible Party for Implementing Mitigation     | Status of Implementation of this Project Element |
|--------------------------------|---|-------------------------------------|---|--|
| OT03<br>FEIS Sec. 3-4          | The City shall modify the following roadway intersections as specified in Section 3.4 of the Final EIS:<br>North-South Road and East-West Connector Road<br>North-South Road and Future Road B<br>Kamehameha Highway at Waihona St.<br>Farrington Highway and Waiawa Road<br>Kamehameha Highway and Kuala St.<br>Kona St. and Ke'eaumoku St.<br>H-2 northbound on-ramp and merge area at Kamehameha Highway | Design and construction             | City with the design and construction contractors |  |
| OT04<br>FEIS Sec. 4-4          | The City shall control spillover parking at stations with one or more mitigation strategies as needed, including, but not limited to parking restrictions or issuance of parking permits  | Start-up of Operations              | City  |  |
| OT05<br>FEIS Sec. 3.4 and 3.5  | The City shall establish temporary loading zones during construction and permanent loading zones for freight and passengers as specified in the Final EIS Chapter 3   | Construction                        | City with the construction contractors            |  |
| <b>Public Involvement</b>      |   |                                     |   |  |
| PI01<br>FEIS Sec. 4.18 and 8.7 | The City will continue public involvement activities throughout the final design and construction periods. The Project website will be the primary information source for up-to-date Project information. In addition, a Project hotline, news releases, instant messaging and emails, and flyers will be used to provide information to the public.  | Design and construction             | City with contractors                             |  |
| PI02<br>FEIS Sec. 4.6          | The City will coordinate with each neighborhood where a station is located to design measures that will enhance the interface between the transit system and the surrounding community.   | Design                              | City with contractors                             |  |
| <b>Noise and Vibration</b>     |   |                                     |   |  |
| NV01<br>FEIS Sec. 4.10         | The City will include a requirement for wheel skirts in the rail vehicle specifications to reduce noise generated by the Project's vehicles.  | Rail Vehicle Design and Acquisition | City and GEC with design-build-operator           |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation    | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|--|--|
| NV02<br>FEIS Sec. 4.10      | The City will install sound-absorptive materials within the guideway structure in the vicinity of Project noise impacts predicted at three locations. Eight-hundred feet of sound-absorptive material will be installed from Pupukahi Street to Pupupuhi Street. For the building at 860 Halekauwila Street, sound-absorptive material will be required from 200 feet 'Ewa of Kamani Street to 100 feet Koko Head of Kamani Street; a total of 300 feet. The building at 1133 Waimanu will require sound-absorptive material to be installed between Kamake'e Street and Waimanu Street for a total of 920 feet. | Design and Construction      | City with the contractors                        |  |
| NV 03<br>FEIS Sec. 4.10     | Once the Project is operating, field measurements for noise will be conducted at representative sites. Should the Project's noise impacts exceed the FTA noise impact levels, further mitigation may be implemented on the receivers with the authorization of the property owner.   | Start-up of Operation        | City with design-build-operator                  |  |
| NV04<br>FEIS Sec. 4.10      | The City will design the elevated guideway to include a parapet wall on both sides of the guideway that extends 3 feet above the top of the rail.  | Design and Construction      | City with the guideway designers and contractors |  |
| NV05<br>FEIS Sec. 4.10      | In the specifications for all traction power substations for the Project the City shall state that the noise generated by the substation measured at the nearest property line must be an hourly Leq of 45 dBA or less in areas with single-family residential uses and an hourly Leq of 50 dBA or less in areas with multifamily residential uses in accordance with Hawai'i state law (HAR 11-46).   | Design and Construction      | City with the design contractors                 |  |
| NV06<br>FEIS Sec. 4.10      | The City will construct the two curved tracks in the maintenance and storage yard that are nearest the main building of Leeward Community College with automatic track lubrication devices installed to eliminate any wheel squeal on those curves.  | Design and construction      | City with the guideway contractors               |  |

| Mitigation ID and Reference                          | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|--|------------------------------|---|--|
| <b>Contaminated Property and Hazardous Materials</b> |  |                              |   |  |
| HMW01<br>FEIS Sec. 4.12                              | The City will perform a Phase I Site Assessment, in accordance with the procedures of the American Society for Testing Materials (ASTM), of every property that will be wholly or partially acquired for the Project and will use a contractor qualified to perform such Site Assessments. If recommended by the contractor performing the Phase 1 Site Assessment, the City will perform a Phase II Site Assessment (including collecting and analyzing samples). | ROW acquisition and Design   | City with contractors                         |  |
| HMW02<br>FEIS Sec. 4.12                              | If contaminated soils, groundwater, or structures are found on a property to be acquired, the City will consult with the Hazard Evaluation and Emergency Response Office of the Hawaii Department of Health (HEERO-DOH) on the appropriate remediation for the contamination found that considers the proposed transit use of the property.  | ROW acquisition and Design   | City with contractors                         |  |
| HMW03<br>FEIS Sec. 4.12                              | The City shall ensure that each contaminated property acquired or soon to be acquired for the Project is remediated in accordance with HEERO-DOH requirements. Such remediation may be performed by a potentially responsible party, such as the previous owner responsible for the contamination, or, if such outside party cannot be made to pay for remediation, the City will perform the remediation as part of the Project.                                  | ROW acquisition and Design   | City with contractors                         |  |
| HMW04<br>FEIS Sec. 4.12                              | Regarding the remediation of contaminated right-of-way owned by Hawaii DOT, the City will coordinate with HDOT regarding the work within HDOT right-of-way.  | ROW acquisition and Design   | City with contractors                         |  |
| HMW05<br>FEIS Sec. 4.12                              | The City shall require that all contractors working on any aspect of the Project comply with all applicable requirements of the Construction Health and Safety Plan.   | Construction                 | City with contractors                         |  |

| Mitigation ID and Reference   | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-------------------------------|--|------------------------------|---|--|
| HMW06<br>FEIS Sec. 4.12       | The City shall prepare and implement the following plans (or include them in contract-specific waste management plans) to mitigate construction impacts related to wastes and their potential impact to workers, communities and neighborhoods: Construction Safety and Security Plan; Construction Health and Safety Plan; Construction Contaminant Management Plan; Construction Contingency Plan; and Solid Waste Management Plan.  | Construction                 | City with the contractors                     |  |
| <b>Water Resources</b>        |  |                              |   |  |
| W01<br>FEIS Sec. 4.14         | The City shall mitigate the impacts on water the Waiawa Stream mitigation site and shall include the following: enhancement of the stream to restore and improve ecological and aquatic function; establishment of water quality basins; enhancement of floodway capacity conveyance to achieve zero rise in flood zone by removal of fill and an increase in stream area; extension of existing culvert to Waiawa Stream to correct existing ponding situation; and ecological restoration with native Hawaiian plantings and non-invasive species. | Design and construction      | City with the design, contractor              |  |
| W02<br>FEIS Sec. 4.14         | The City shall coordinate with the U.S. Army Corps of Engineers, the Hawaii Department of Health, and the Hawaii Commission on Water Resource Management throughout the design and construction of the Project.  | Design and construction      | City with the contractors                     |  |
| W03<br>ROD                    | The City shall monitor the requirements of permits related to water resources through the design and construction quality process to verify that the design and construction contractors are in compliance.  | Design and construction      | City  |  |
| W04<br>FEIS Sec. 4.14         | The City shall require the that the Project's elevated guideway clear-span all streams except those indicated in the FEIS as needing a column within the stream channel.   | Design and construction      | City with the contractors                     |  |
| W05<br>FEIS Sec. 4.14 and ROD | If the U.S. Army Corps of Engineers agrees that a Section 404 Nationwide Permit is appropriate to any phase of the Project, the City shall add the requirements of that particular Nationwide Permit to this monitoring program.   | Design and construction      | City  |  |

| Mitigation ID and Reference  | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation     | Status of Implementation of this Project Element |
|------------------------------|--|------------------------------|---|--|
| W06<br>FEIS Sec. 4.14        | The City shall ensure that any contractor-proposed change to an issued permit is reviewed and approved by the issuing agency before the contractor is allowed to proceed with the change.  | Design and construction      | City with the design and construction contractors |  |
| <b>Section 4(f)</b>          |  |                              |   |  |
| 4F1<br>FEIS Sec. 5.7         | Pearl Harbor Bike Path: The section of the bike path temporarily occupied during construction will be fully restored by the City. The City will provide a temporary crossing over the trench to maintain bikeway continuity during construction. The City will repave the bicycle path in the affected area and will restore surrounding plantings disturbed by construction.  | Design and Construction      | City with the contractors                         |  |
| 4F2<br>FEIS Sec. 5.7         | Future Middle Loch Park: The land set aside for a future park will be temporarily occupied during construction. The City will restore it to its condition before construction and vacate when outfall construction has been completed. The City will restore plantings disturbed by construction.  | Design and Construction      | City with the contractors                         |  |
| 4F3<br>FEIS Sec. 5.5         | Aloha Stadium: As specified in the Final EIS, the City will locate the guideway as close to Kamehameha Highway as possible; the City will coordinate with DAGS on the design of the station and parking lots   | Design and Construction      | City with the contractors                         |  |
| 4F4<br>FEIS Sec. 5.5         | Ke'ehi Lagoon Beach Park: As specified in the Final EIS, the City will locate the guideway as close to the northern border of the park as possible, with a curve radius that minimizes the use of parkland other than the already paved-over parking area; the City will restore the tennis courts and add lighting for their nighttime use. The City will landscape the affected areas of the park, including trees, shrubs, grass, and picnic tables, according to a landscaping plan developed in consultation with the Department of Parks and Recreation. | Design and Construction      | City with the contractors                         |  |
| 4F5<br>FEIS Sec. 5.5 and ROD | Pacific War Memorial: As specified in the Final EIS or in the ROD, the City will locate the guideway as close to the northern border of the memorial land as possible; the City will landscape and fence the area affected by the Project according to a landscaping plan developed in consultation with the Ke'ehi Memorial Organization and the Hawaii Disabled American Veterans.   | Design and Construction      | City with the contractors                         |  |



| Mitigation ID and Reference  | Mitigation Measure  | Timing of Mitigation Measure        | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|------------------------------|---|-------------------------------------|---|--|
| 4F6<br>FEIS Sec. 5.5 and PA  | Afuso House, Higa Four-Plex, and Teixeira House: Following the procedure specified in the PA, the City will document these buildings prior to their demolition.   | Pre-construction and pre-demolition | City with the contractors                     |  |
| 4F9<br>FEIS Sec. 5.5 and PA  | Lava Rock Curbs: The City shall ensure that all lava rock curbs affected by the Project are marked prior to their removal, are removed with minimal damage and stored securely, and are reinstalled at their approximate original location, and that any stone that is damaged during this process is replaced with in-kind material. | Design and Construction             | City with the contractors                     |  |
| 4F11<br>FEIS Sec. 5.5 and PA | Kapalama Canal Bridge: The City will maintain the existing bridge rails or will replace the bridge rails with new ones that match the appearance of the historic rails in accordance with the Secretary of the Interior's Standards for Treatment of Historic Properties.   | Design and Construction             | City with the contractors                     |  |
| 4F12<br>FEIS Sec. 5.5 and PA | Six Quonset Huts: Following the procedure specified in the PA, the City will prepare a Cultural Landscape Report for the Dillingham Boulevard corridor which includes the Quonset Huts, prior to construction.  | Design and Construction             | City with the contractors                     |  |
| 4F13<br>FEIS Sec. 5.5 and PA | True Kamani Trees: The City will develop a transplant the trees to a location as close as feasible to the current location of the trees to be removed and will replace any affected trees that cannot be successfully transplanted.   | Design and Construction             | City with the contractors                     |  |
| 4F14<br>FEIS Sec. 5.5 and PA | Oahu Railway and Land Company Buildings: The City shall ensure that these buildings are not physically altered for the Project.   | Design and Construction             | City with the contractors                     |  |
| 4F15<br>FEIS Sec. 5.5 and PA | Oahu Railway and Land Company basalt paving blocks: The City shall ensure that the guideway completely spans and does not touch the paving blocks and does not physically alter the former Filling Station on the site.   | Design and Construction             | City with the contractors                     |  |
| 4F16<br>FEIS Sec. 5.5 and PA | Chinatown Historic District: The City shall ensure that stations in the district are designed with deference to the Secretary of the Interior's Standards for the Treatment of Historic Properties, and that the section 106 consulting parties are given an opportunity to comment on the designs.                                   | Design and Construction             | City with the contractors                     |  |

| Mitigation ID and Reference        | Mitigation Measure  | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|------------------------------------|---|------------------------------|---|--|
| 4F17A<br>FEIS Sec. 5.5 and PA      | Dillingham Transportation Building: The City shall ensure that the station is offset from the building so that the station itself does not block the building's façade, though the guideway will.   | Design and Construction      | City with the contractors                     |  |
| 4F17B<br>FEIS Sec. 5.5 and PA      | Dillingham Transportation Building: The City shall ensure that the building is not altered, and is recorded prior to construction in accordance with the PA.  | Design and pre-Construction  | City with the contractors                     |  |
| 4F17C<br>FEIS Sec. 5.5, PA and ROD | Dillingham Transportation Building: The City shall ensure that entrance to the station is designed to fit carefully within the existing historic environment, minimizing the effect on the plaza outside the building.  | Design and Construction      | City with the contractors                     |  |
| 4F17D<br>FEIS Sec. 5.5, PA and ROD | Dillingham Transportation Building: The City shall work with the Pacific Guardian Center, the manager of the building and plaza, to create a logical pathway for transit users that minimizes the effect on the plaza and arcade.   | Design                       | City with the contractors                     |  |
| 4F18<br>FEIS Sec. 5.5 and PA       | HECO Downtown Plant and Leslie A. Hicks Building: The City shall ensure that the Project only requires demolition of an extension of the Plant building. The City shall ensure that prior to demolition of the extension, the buildings are recorded in accordance with the PA and the historic context study covering the history of Honolulu infrastructure is completed in accordance with the PA. | Design and Construction      | City with the contractors                     |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| <b>Permits</b>              |  |                              |   |  |
| PM01<br>FEIS Sec. 4.21      | Table 4-40 of the Final EIS summarizes permits, certificates, and approvals anticipated to be required for implementation of the Project. Required permits, approvals, and agreements shall be obtained prior to commencing the activity that triggers the permit, approval, or agreement. The City will be responsible for obtaining all permits, approvals, and agreements.<br><br>The City shall monitor the requirements of all permits obtained for the Project through the design and construction quality process to verify that the design and construction contractors are in compliance. | Design and construction      | City with the GEC                             |  |
| PM02<br>FEIS Sec. 4.21      | There are six locations where the Project will either cross or enter interstate freeway airspace, including freeway mainline and access ramps. The City will apply for, and obtain from FHWA, the necessary permits and approvals related to Interstate freeway airspace. The City will ensure that all conditions and mitigations specified in the FHWA permits or approvals are added to this Mitigation Monitoring Program.   | Design                       | City with the GEC                             |  |
| PM03<br>ROD                 | The City will obtain a Section 404 (Clean Water Act) permit from the U.S. Army Corps of Engineers (USACE) for each phase of the Project. FTA expects nationwide permits to apply. In any case, all conditions and mitigations in each Section 404 permit, whether nationwide or individual, shall be incorporated into this Mitigation Monitoring Program.   | Design and construction      | City with the GEC                             |  |
| PM04<br>FEIS Ch. 4 and ROD  | The City shall take whatever actions are necessary to obtain a determination by the State that the Project is consistent with the Coastal Zone Management Plan. All mitigation actions required by the State's consistency determination shall be added to this Mitigation Monitoring Program.   | Design and construction      | City  |  |

| Mitigation ID and Reference                  | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|--|------------------------------|---|--|
| <b>Stormwater Management and Floodplains</b> |  |                              |   |  |
| SM01<br>FEIS Sec. 4.14                       | The City shall require that the stormwater management system at the maintenance and storage facility be designed so that the stormwater discharged into Pearl Harbor meets or exceeds the water quality requirements for the estuary.  | Design and construction      | City with contractors                         |  |
| SM02<br>FEIS Sec. 4.14                       | The City shall require that the stormwater management system at the maintenance and storage facility be designed with on-site catch basins and connecting underground pipes that drain into a detention basin. Stormwater from the detention basin will be piped through an underground pipe and concrete box culvert into Middle Loch of Pearl Harbor. The system will include permanent oil-water-sand separators. | Design and construction      | City with contractors                         |  |
| SM03<br>FEIS Sec. 4.14 and ROD               | The City shall monitor the requirements of the Storm Water Management Plan through the design and construction quality assurance process to verify that the construction contractors are in compliance.  | Design                       | City  |  |
| SM04<br>FEIS Sec. 4.14                       | The City shall require that the Project be designed so that its elements and facilities do not encroach significantly on the 100-year floodplain anywhere.   | Design                       | City with contractors                         |  |
| SM05<br>FEIS Sec. 4.14                       | The City shall require that the Project be designed so that its elements and facilities comply with all applicable State and local flood zone regulations.   | Design                       | City with contractors                         |  |
| SM06<br>FEIS Sec. 4.14 and ROD               | The City shall require that permanent "best management practices" for stormwater be included in the design of the Project's vehicle storage and maintenance facility and park-and-ride lots. The City shall specify these BMPs in detail and add them to this monitoring program.  | Design and construction      | City with contractors                         |  |
| SM07<br>FEIS Sec. 4.14 and ROD               | The City shall require that permanent "best management practices" for stormwater be included in the design of the Project's guideway wherever it crosses a waterbody. The City shall specify these BMPs in detail and add them to this monitoring program.   | Design and construction      | City with contractors                         |  |

| Mitigation ID and Reference    | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--------------------------------|--|------------------------------|---|--|
| SM08<br>FEIS Sec. 4.14         | The City will ensure that stormwater runoff from the Project is filtered through landscaped areas and sedimentation collars wherever possible.   | Design and construction      | City with contractors                         |  |
| SM09<br>FEIS Sec. 4.14         | The City will ensure that stormwater runoff from the Project is filtered through specially designed bioinfiltration units near water bodies. In locations where space does not allow for this approach, the City will install downspout filters on drains near impaired waters.  | Design and construction      | City with contractors                         |  |
| SM10<br>FEIS Sec. 4.14 and ROD | The City will ensure that permanent BMPs are installed as part of the project to address stormwater quality before the stormwater from the Project is discharged into streams or storm drains. These BMPs shall promote a natural, low-maintenance, sustainable approach to managing stormwater quality upon its discharge. The City shall specify these BMPs in detail and add them to this monitoring program. | Design and construction      | City with contractors                         |  |
| SM11<br>FEIS Sec. 4.14         | The City will ensure that all stormwater downspouts from the guideway include erosion controls and energy dissipation devices to prevent any scour of receiving land.  | Design and construction      | City with contractors                         |  |
| SM12<br>FEIS Sec. 4.14         | The City shall ensure that bioretention areas, vegetated buffer strips, dry swales, water quality basins, and oil-water separators are considered for the Project's vehicle storage and maintenance facility and park-and-ride lots if needed to achieve the water quality commitment.   | Design and construction      | City with contractors                         |  |
| SM13<br>FEIS Sec. 4.14         | The City will ensure that the stormwater management system directs stormwater runoff into the ground to recharge the groundwater system as needed to sustain the existing aquifer system. Oil-water separators will be installed wherever needed to protect groundwater quality.   | Design and construction      | City with contractors                         |  |
| SM14<br>FEIS Sec. 4.14 and ROD | The City will ensure that construction BMPs are used and are sufficient to protect groundwater quality during construction. The City shall specify these BMPs in detail and add them to this monitoring program.   | Construction                 | City with contractors                         |  |
| SM15<br>FEIS Sec. 4.14         | The City will ensure that any guideway column that must be placed in a stream channel aligns with an existing column of other structures in the channel.   | Design and construction      | City with contractors                         |  |

| Mitigation ID and Reference   | Mitigation Measure  | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-------------------------------|---|------------------------------|---|--|
| SM16<br>FEIS Sec. 4.14        | The City will ensure that the mitigation of impacts on Waiawa Stream includes, but is not limited to, the restoration of portions of the stream bank and riparian zone previously covered with fill material, and natural landscaping of all riparian areas along the stream affected by the Project.   | Design and construction      | City with contractors                         |  |
| <b>Construction Effects</b>   |   |                              |   |  |
| CON01<br>FEIS Sec. 4.18       | During construction, the City shall maintain all landscaped areas within the construction limits to HDOT standards using HDOT maintenance specifications including mowing, edging, trimming, weeding, pruning, care of shrubs and trees, fertilizing, application of pesticides and herbicides, clearing gutters, swales and ditches, removal of invasive plants, and removal and disposal of rubbish and debris. | Construction                 | City with the contractors                     |  |
| CON02<br>FEIS Sec. 3.5,, 4.18 | The City shall require that construction staging occur on properties needed for the guideway, the stations (including park-and-ride lots), and the maintenance and storage facility. FTA shall be informed if any contractor requires additional staging areas, in which case an appropriate environmental review will be performed   | Construction                 | City with the contractors                     |  |
| CON03<br>FEIS Sec. 3.5        | The City shall develop a Maintenance of Traffic (MOT) Plan and a Transit Mitigation Program (TMP). The MOT will include site-specific traffic-control measures and will be developed in consultation with Hawaii DOT. Both the MOT and TMP will be shared with the public through the Project website.  | Design and construction      | City with the designers and Contractors       |  |
| CON04<br>FEIS Sec. 3.5        | The City shall formulate Work Zone Traffic Control Plans, including detour plans, during Final Design in cooperation with HDOT and other affected jurisdictions.  | Design and construction      | City with the designers and Contractors       |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|------------------------------|---|--|
| CON05<br>FEIS Sec. 4.18     | The City will employ a dedicated environmental compliance manager to oversee construction contractor compliance with all stormwater Best Management Practices (BMPs), construction noise mitigation measures, utility coordination, business access requirements, and any mitigation plans prepared for the Project, including those presented in permit conditions and the MOT Plan.<br><br>The City shall monitor the requirements of the Storm Water Management Plan through the design and construction quality process to verify that the construction contractors are in compliance. | Design and construction      | City with the GEC                             |  |
| CON06<br>FEIS Sec. 4.18     | The City shall maintain access to businesses in the Project area throughout construction though there may be temporary changes to access and traffic movement during construction.   | Construction                 | City with the Contractors                     |  |
| CON07<br>FEIS Sec. 4.18     | Utility service to abutting properties may be temporarily interrupted for short periods during construction. The City shall contact property owners and tenants prior to any interruption of utility services. The City shall ensure that replacements for existing utilities provide utility companies the capacity equal to that offered before the replacement. The City shall coordinate with emergency services and utility companies to ensure that utility relocations meet their needs and that sufficient clearance is provided between project elements and utilities..          | Construction                 | City with the Contractors                     |  |

| Mitigation ID and Reference | Mitigation Measure  | Timing of Mitigation Measure              | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|---|---|---|--|
| CON08<br>FEIS Sec. 4.18     | <p>The City will require all contractors to incorporate construction management practices to minimize visual impacts during construction, including the following:</p> <ul style="list-style-type: none"> <li>• Remove visibly obtrusive erosion-control devices, such as silt fences, plastic ground cover, and straw bales, as soon as an area is stabilized</li> <li>• Locate stockpile areas in less visibly sensitive areas whenever possible so they are not visible from the road or to residents and businesses</li> <li>• Shield temporary lighting and direct it downward to the extent possible</li> <li>• Limit the times construction lighting can be used in residential areas</li> <li>• Replace removed street trees and other vegetation with appropriately sized vegetation as soon as practical after construction is completed in the same location or another location in accordance with City and State requirements</li> </ul> | Construction contracting and construction | City with the Contractors                     |  |
| CON09<br>FEIS Sec. 4.18     | <p>The City will require contractors to takes appropriate actions to comply with fugitive dust requirements. Contractors must make use of the following control measures whenever needed to reduce fugitive dust:</p> <ul style="list-style-type: none"> <li>• Minimize land disturbance</li> <li>• Use watering trucks to moisten disturbed soil</li> <li>• Use low emission equipment when feasible</li> <li>• Cover loads when hauling dirt</li> <li>• Cover soil stockpiles if exposed for long periods</li> <li>• Use windbreaks to prevent accidental dust pollution</li> <li>• Limit the number of vehicular paths and stabilize temporary roads</li> <li>• Maintain stabilized construction area ingress/egress areas</li> <li>• Wash or clean trucks prior to leaving construction sites</li> <li>• Minimize unnecessary vehicular activities</li> </ul>   | Construction contracting and construction | City with the Contractors                     |  |



| Mitigation ID and Reference     | Mitigation Measure  | Timing of Mitigation Measure              | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|---------------------------------|---|---|---|--|
| CON10<br>FEIS Sec. 4.18 and ROD | Temporary structures may be placed in, or on the banks of, Kalo'i Gulch, Waiawa Stream, Waiawa Springs, Moanalua Stream, Kapālama Canal Stream, and Nu'uānu Stream during construction. The City will require that appropriate permits for these structures are obtained from Federal and State agencies by the contractors. The City shall add to this mitigation monitoring program all conditions and mitigations specified in these permits, including but not limited to the removal of temporary structures, the restoration of riparian areas affected by the structures, and BMPs developed to mitigate caused by the placement of fill.  | Construction                              | City with the GEC                             |  |
| CON11<br>FEIS Sec. 4.18         | The City shall use best management practices (BMPs) to mitigate potential impacts to streams during construction, such as: <ul style="list-style-type: none"> <li>- isolating the construction area from the water with cofferdams, sandbags, or other temporary water-diversion structures;</li> <li>- Prohibiting the fueling of equipment in the stream channel;</li> <li>- Preventing wet or green concrete from contact with flowing water;</li> <li>- Maintaining fish passage and avoiding work in streams during fish spawning seasons;</li> <li>- Minimizing the removal of riparian vegetation; and</li> <li>- the numerous other BMPs listed on page 4-210 of the FEIS.</li> </ul> | Construction contracting and construction | City with the contractors                     |  |
| CON12<br>FEIS Sec. 4.18         | The City shall prohibit the contractors from entering any wetlands during construction. The City will ensure that the wetlands are designated as no-work areas on the Final Design plan sheets and that the contractor installs fencing around the wetland areas to designate the no-work area. The City shall have the fencing inspected regularly to ensure that it is maintained.  | Construction contracting and construction | City with the Contractors                     |  |
| CON13<br>FEIS Sec. 4.18         | Excessive or differential settlement due to drilled shaft dewatering and the resultant depression of the groundwater surface can cause cracking and other damage to structures. The City shall require contractors to monitor groundwater levels and settlements wherever dewatering is performed.  | Construction contracting and construction | City with the Contractors                     |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure              | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|---|---|--|
| CON14<br>FEIS Sec. 4.18     | The City shall not allow uncontrolled releases of drilling fluids and shall require contractors to collect and treat displaced fluids in accordance with permit requirements.  | Construction contracting and construction | City with the Contractors                     |  |
| CON15<br>FEIS Sec. 4.18     | <p>The City shall require construction contractors to use stormwater BMPs that include, but are not limited to, the following:</p> <ul style="list-style-type: none"> <li>• Minimize land disturbance</li> <li>• Stabilize or cover the surface of soil piles</li> <li>• Revegetate all cleaned and grubbed areas to the extent possible</li> <li>• Maintain stabilized construction area ingress/egress areas</li> <li>• Wash or clean trucks prior to leaving the construction site</li> <li>• Install silt fences and storm drain inlet filters</li> <li>• Prevent off-site stormwater from entering the construction site</li> <li>• Implement other stormwater management techniques</li> </ul> | Construction contracting and construction | City with the Contractors                     |  |
| CON16<br>FEIS Sec. 4.18     | The City shall temporarily relocate passenger loading zones on Halekauwila Street near South Street and on Halekauwila Street near Kamani Street and a freight loading zone on Ka'aahi Street, to nearby locations for the duration of construction.   | Design                                    | City with the Contractors                     |  |
| CON17<br>FEIS Sec. 4.18     | <p>The City will keep the public aware of upcoming work locations, will post information on the Project website about parking disruptions and alternatives, and will post street signs directing people to nearby locations with available parking.</p> <p>The City will coordinate with property owners regarding the timing of construction and other issues to minimize disruption to off-street parking.</p>   | Construction                              | City with the Contractors                     |  |

| Mitigation ID and Reference | Mitigation Measure  | Timing of Mitigation Measure                               | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|---|--|---|--|
| CON18<br>FEIS Sec. 4.18     | The City shall ensure the following:<br>access to existing bicycle and pedestrian facilities will be maintained during all phases of construction as safety allows;<br>warning or notification signs will be provided;<br>pedestrian detours will be reviewed to ensure they are reasonable for all pedestrians and meet ADA regulations;<br>proper deterrents, such as barriers or fencing, will be placed to prevent access through the construction area;<br>pedestrian flow will be channelized in areas where sidewalks are near construction; and<br>alternative pedestrian routes will be provided to avoid hazardous areas. | Construction   | City with the Contractors                     |  |
| CON19<br>FEIS Sec. 4.18     | During construction, the City will provide local travelers with information about traffic disruptions and bus route changes through the Project website, a telephone hotline, and media outlets.  | Construction   | City with the GEC                             |  |
| CON20<br>FEIS Sec. 4.18     | For buildings closer than 75 feet to construction activities that generate ground vibrations, the City will require contractors to perform a video survey of the immediate area prior to the start of any construction activity where vibration levels may be high enough to affect surrounding structures.   | Construction contracting and construction                  | City with the Contractors                     |  |
| CON21<br>FEIS Sec. 4.18     | Prior to construction, the City shall obtain a Community Noise Variance from the Hawai'i Department of Health (HDOH) for the Project. The City will obtain noise permits prior to the construction of each phase of the Project. The permits will regulate construction times and activities and include mitigation commitments.  | Prior to construction                                      | City with the GEC                             |  |
| CON22<br>FEIS Sec. 4.18     | Prior to clearing and grubbing near the ko'oloa'ula contingency reserve, the City will have the area surveyed by a qualified horticulturist approved by Department of Land and Natural Resources (DLNR). If any ko'oloa'ula are found, the City will have the horticulturist remove the plants and transplant them to the contingency reserve or other DLNR-approved location.  | Prior to clearing and grubbing and construction activities | City with the GEC                             |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure                  | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|---|---|--|
| CON23<br>FEIS Sec. 4.18     | The City will survey all large canopy trees to be pruned prior to construction to ensure that no trees have white tern chicks. If any chicks are found, the City will delay the pruning until the chicks fledge.   | Prior to construction                         | City with the GEC                             |  |
| HS01<br>FEIS                | The City will require contractors to develop a Construction Health and Safety Management Plan which meets the requirements of 29 CFR 1910 and 1926 and all other applicable Federal, State, and Local regulations and requirements related to construction health and safety. The plan will also include provisions for identifying asbestos and lead-based paint that will be disturbed by the Project.                     | Prior to construction and during construction | City with the construction contractors        |  |
| <b>Safety and Security</b>  |  |   |   |  |
| SS01<br>FEIS                | The City will develop a project-specific Safety and Security Management Plan and submit it to FTA for approval. The plan will define the activities and methods for identifying, evaluating, and resolving potential safety hazards and security vulnerabilities and will establish responsibilities and accountabilities for safety and security during the final design, construction, and start-up phases of the Project. | Final Design                                  | City with the GEC and other contractors       |  |
| SS02<br>FEIS                | The City shall require all contractors to participate in the Project Safety and Security Certification Program for the duration of the Project Contract. This program will require, at a minimum, that the contractor develop and follow a Safety and Security Certification Plan in conformance with the Project Safety and Security Management Plan and the FTA Handbook for Transit Safety and Security Certification.    | Prior to construction and during construction | City with the contractors                     |  |
| SS03<br>ROD                 | The City shall implement the measures presented in the <i>Threat and Vulnerability Assessment</i> review by General Services Administration (GSA) for the Federal building.  | Design and construction                       | City with the designers and contractors       |  |
| SS04<br>ROD                 | The City shall implement the design changes made for clearance distance from the Federal building, as reviewed by GSA.   | Design and construction                       | City with the designers and contractors       |  |

| Mitigation ID and Reference | Mitigation Measure   | Timing of Mitigation Measure               | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|-----------------------------|--|--|---|--|
| SS05<br>FEIS Sec. 4.5       | <p>The City shall implement the following safety and security measures:</p> <ul style="list-style-type: none"> <li>Require Project designs and architectural details that enhance safety;</li> <li>Incorporate close circuit television cameras and lighting into station designs;</li> <li>Prior to opening for revenue operation, develop and conduct public educational programs to enhance public awareness of safety and security issues associated with the Project</li> </ul>   | Design and construction                    | City with the designers and contractors       |  |
| <b>Parking</b>              |  |  |   |  |
| P01<br>FEIS                 | <p>The City will conduct parking surveys prior to starting construction of each station to determine the need for control of overflow parking. Control strategies include, but are not limited to, the following:</p> <ul style="list-style-type: none"> <li>• Parking restrictions (where parked cars cause safety or congestion problems)</li> <li>• Parking regulation (e.g., meters, time limits, or other methods to encourage turnover)</li> <li>• Permit parking (e.g., resident or employee parking)</li> <li>• Shared parking arrangements (at locations where parking is available but dedicated to another purpose, such as retail centers, office uses, or places of worship)</li> </ul> | Prior to the start of station construction | City with the GEC                             |  |
| P02<br>FEIS                 | Off-street privately owned parking spaces needed to construct the guideway or stations will be acquired by the City in accordance with the requirements of the Uniform Relocation Assistance and Real Property Acquisition Policies Act.   | Prior to the start of construction         | City and the ROW team                         |  |

| Mitigation ID and Reference              | Mitigation Measure  | Timing of Mitigation Measure                          | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|---|---|--|
| P03<br>FEIS                              | <p>The City shall provide for passenger loading zones through measures such as the following:</p> <ul style="list-style-type: none"> <li>• The passenger loading zone used for a day-care facility on Halekauwila Street between 'Āhui and Kamani Streets will be relocated nearby on Ilaniwai Street from Cooke Street to Kamani Street. As a result, some of the existing on-street parking on Ilaniwai Street will be converted to passenger loading zones during the A.M. and P.M. peak periods.</li> <li>• A new passenger loading zone on Halekauwila Street between Punchbowl and South Streets will be installed in the same general location after construction is completed.</li> </ul> | Prior to the start of construction                    | City with the Contractors                     |  |
| P04<br>FEIS                              | The City will relocate the freight loading zone on Ka'aahi Street nearby.   | Prior to the start of construction                    | City with the Contractors                     |  |
| P05<br>FEIS                              | The City will replace the lost parking at Leeward Community College at an alternate location on campus. The City will coordinate with Leeward Community College during Final Design to relocate the parking.  | Design and construction                               | City with the Contractors                     |  |
| <b>Historic Preservation</b>             |   |   |   |  |
| HP01<br>Sec. 106 PA<br>Stipulation XIV.A | City shall develop schedule for implementation of PA stipulations and send to consulting parties, post on Project website   | 60 days after execution of PA and before construction | City  |  |
| HP02<br>Sec. 106 PA<br>Stipulation XIV.E | City shall hold quarterly meetings with the consulting parties and report on implementation of PA. After the first 24 months, the City shall hold annual meetings with the consulting parties to report on implementation of the PA.  | Effective immediately                                 | City  |  |
| HP03<br>Sec. 106 PA<br>Stipulation 1.H   | City shall hire an independent project manager (the <i>Kako'o</i> ) to assist with the coordination of all reviews and deliverables required under the terms of the PA. City shall follow hiring process specified in the PA for this hiring.   | Within six months of executing the PA                 | City  |  |

| Mitigation ID and Reference            | Mitigation Measure  | Timing of Mitigation Measure                                      | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|---|---|--|
| HP04<br>Sec. 106 PA<br>Stipulation II  | City shall undertake additional studies on Traditional Cultural Properties using a contractor experienced in ethnographic studies and following the process set forth in the PA, including consultation with consulting parties and Native Hawaiian Organizations.  | Within the first six months of executing the PA; pre-construction | City  |  |
| HP05<br>Sec. 106 PA<br>Stipulation II  | If the TCP study finds any unexpected Traditional Cultural Properties in an area potentially adversely affected by the Project, FTA and the City will conduct a normal Section 106 review of its eligibility and the effects of the Project.  | Complete prior to construction for each phase                     | City  |  |
| HP06<br>Sec. 106 PA<br>Stipulation III | If the TCP study finds any unexpected TCP in an area potentially adversely affected by the Project, the City will, in accordance with the PA, prepare documentation of that TCP needed to nominate it to the National Register, and submit that documentation to SHPO. The City will complete all fieldwork, eligibility and effects determination and consultation to develop treatment measures related to TCPs prior to the start of construction.   | Complete prior to construction for each phase                     | City  |  |
| HP07<br>Sec. 106 PA<br>Stipulation III | Following the procedures set forth in the PA, the City shall develop and carry out an Archaeological Inventory Survey (AIS) Plan for each construction phase of the Project. The AIS will be completed in advance of final design for each construction phase.<br><br>For Construction Phase 4, the City will initiate consultation for the AIS plan within 60 days of execution of the PA and include a broader list of consulting parties, including the OIBC, in the AIS Plan development. The AIS Plan for construction Phase 4 shall be submitted to the SHPD within four months of execution of the PA. The AIS shall be completed prior to final design for construction phase 4.<br><br>The City shall inform OIBC of the status of AIS and continue to meet regularly with the OIBC. | Complete prior to final design for each construction phase        | City  |  |
| HP08<br>Sec. 106 PA<br>Stipulation III | If any of the AISs find Native Hawaiian burials or archaeological resources, the City shall follow the terms in the PA.   | Complete prior to final design for each construction phase        | City  |  |

| Mitigation ID and Reference                | Mitigation Measure  | Timing of Mitigation Measure   | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|--|---|--|
| HP09<br>Sec. 106 PA<br>Stipulation III.B.4 | Following the procedures set forth in the PA, the City, in coordination with the OIBC, lineal and cultural descendants, Native Hawaiian Organizations, and other interested parties that are identified in discussion with OIBC shall develop a protocol for consultation regarding the treatment of any <i>iwi kupuna</i> identified during the AIS.   | Draft protocol will be provided to OIBC for review within 6 months of the execution of the PA. Protocol shall be completed prior to initiation of AIS for Phase 4. | City  |  |
| HP10<br>Sec. 106 PA<br>Stipulation III.D   | Following the procedures in the PA, the City shall develop and implement a specific treatment plan to avoid, minimize, or mitigate adverse effects on historic properties for each construction phase based on the results of AIS fieldwork and consultation with the SHPD.   | Complete prior to final design for each construction phase   | City  |  |
| HP11<br>Sec. 106 PA<br>Stipulation III.E   | Following the procedures in the PA, subsequent to the archeological fieldwork and development of the treatment plan, the City, in consultation with the SHPD, shall develop mitigation plans as appropriate. These plans may include an archaeological monitoring plan and monitoring reports, or a data recovery program.  | Deadlines vary. See PA for time frame commitments.   | City  |  |
| HP12<br>Sec. 106 PA<br>Stipulation III.F   | Following the procedures in the PA, the City will curate any recovered materials in accordance with applicable laws such as HAR Chapter 13-278 and 36 C.F.R. 79.  | Complete curation upon completion of archaeological fieldwork  | City  |  |
| HP13<br>Sec. 106 PA<br>Stipulation IV      | Following the procedures in the PA, the City shall develop standards for, and maintain and update the Project's <i>Design Language Pattern Book</i> for use in all Project elements. This pattern book shall be available electronically and shall comply with the <i>Secretary of Interior's Standards for the Treatment of Historic Properties</i> for stations within the boundary or adjacent to an eligible or listed historic property. | Prior to final design  | City  |  |
| HP14<br>Sec. 106 PA<br>Stipulation IV      | For each phase of the Project, the City shall conduct a minimum of two neighborhood workshops on the design of the stations in that phase.  | Prior to final design  | City  |  |



| Mitigation ID and Reference            | Mitigation Measure  | Timing of Mitigation Measure   | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|--|---|--|
| HP15<br>Sec. 106 PA<br>Stipulation IV  | Following the procedures set forth in the PA, the City shall provide the consulting parties with the preliminary engineering design plans for built component of the Project, provide an opportunity to comment on the design plans and consider comments on those plans.<br><br>For stations within boundaries or directly adjacent to listed or eligible historic properties, the City shall also provide design plans during the final design phase to consulting parties and provide the opportunity for them to comments on design plans. The City shall consider comments on those plans. | Distribute preliminary engineering plans prior to final design. For stations within or adjacent to historic properties distribute prior to final design  | City  |  |
| HP16<br>Sec. 106 PA<br>Stipulation V.A | Following the procedures set forth in the PA, the City shall conduct historic context studies, in consultation with the consulting parties and the SHPD, related to historic themes in the Project area and distribute the resulting historic context reports as specified in the PA. The City shall distribute the historic context studies per the terms in the PA.   | Within 90 days of the execution of the PA the City shall complete a draft study.<br><br>Initial field work and photography shall be completed prior to construction commencement in that area.       | City  |  |
| HP17<br>Sec. 106 PA<br>Stipulation V.B | Following the procedures set forth in the PA, the City shall conduct cultural landscape studies related to historic landscapes in the Project area, in consultation with the consulting parties and the SHPD, and distribute the resulting cultural landscape historic reports as specified in the PA.  | Within 90 days of the execution of the PA the City shall complete a draft study.<br><br>Initial field work and photography shall be completed prior to construction commencement in that area.       | City  |  |
| HP18<br>Sec. 106 PA<br>Stipulation V.C | Following the procedures set forth in the PA, the City shall document certain historic properties specified by the National Park Service and located in the Project area for incorporation into the Historic American Building Survey, the Historic American Engineering Record, or the Historic American Landscape Survey, whichever is appropriate.   | The City shall ensure that final HHH documentation is completed for a property and accepted by NPS prior to commencement of activities that could impact the historic property and/or its integrity. | City  |  |

| Mitigation ID and Reference             | Mitigation Measure  | Timing of Mitigation Measure  | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|---|---|---|---|--|
| HP19<br>Sec. 106 PA<br>Stipulation V.D  | Following the procedures set forth in the PA, the City shall complete archival photography to NRHP standards for all resources that received adverse effect determinations that are not subject to HHH documentation under Stipulation V.C. The SHPD will review this documentation upon completion.  | Complete prior to construction for each construction phase                                  | City  |  |
| HP20<br>Sec. 106 PA<br>Stipulation V.E  | Following the procedures set forth in the PA, the City shall have digital photographs taken by a professional photographer, in conjunction with the input of a supervising architectural historian, to document select resources and view sheds within the APE. Approximately 150 views will be submitted. These photographs will be submitted to the SHPD and the City will use these materials for items such as interpretive materials and publications. | Complete prior to construction for each construction phase                                  | City  |  |
| HP21<br>Sec. 106 PA<br>Stipulation V.F  | Following the procedures set forth in the PA, the City shall take a comprehensive video of the Project corridor prior to construction commencement.   | Prior to construction   | City  |  |
| HP22<br>Sec. 106 PA<br>Stipulation VI.A | Following the procedures set forth in the PA, the City shall complete a NRHP Multiple Property Documentation (MPD) for Modern/Recent Past historic properties dating from 1939-1979 and the City shall complete a single Multiple Property Submission (MPS), including all appropriate accompanying documentation. The City shall consult with consulting parties, the SHPD and NPS in developing this documentation.                                       | Submit final forms NRHP forms prior to beginning revenue service operations for the Project | City  |  |
| HP23<br>Sec. 106 PA<br>Stipulation VI.B | Following the procedures set forth in the PA, the City shall update the nominations of Pearl Harbor and CINCPAQ to be designated as National Historic Landmarks.  | Submit final forms NRHP forms prior to beginning revenue service operations for the Project | City  |  |

| Mitigation ID and Reference           | Mitigation Measure   | Timing of Mitigation Measure  | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|---------------------------------------|--|---|---|--|
| HP24<br>Sec. 106 PA Stipulation VI.C  | Following the procedures set forth in the PA, the City shall produce or update the nominations for the 31 historic properties adversely affected properties to the National Register. In addition, the City shall prepare nomination documentation for the Little Makalapa Housing District.             | City shall complete nomination forms for Little Makalapa and Big Makalapa Housing Districts prior to the second Pearl Harbor design workshop.<br><br>The nomination forms for the remainder of the properties shall be submitted to the NPS prior to revenue service operation for the Project. | City  |  |
| HP25<br>Sec. 106 PA Stipulation VI.F  | Following the procedures set forth in the PA, the City shall produce a searchable database of historic properties, in consultation with the SHPD, and provide it to an interested historic preservation or educational organization.   | City shall initiate database development prior to construction commencement and will update and maintain the database during the duration of the PA.  | City  |  |
| HP26<br>Sec. 106 PA Stipulation VII.A | Following the procedures set forth in the PA, the City shall complete an interpretive plan for the Project area and install the signage, and distribute the educational materials and programs. The City shall submit drafts to consulting parties for review and comment per Stipulation VII.H.         | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |
| HP27<br>Sec. 106 PA Stipulation VII.B | Following the procedures set forth in the PA, the City shall complete a color brochure describing the history of the area along the transit line, make 1,000 copies, and make available electronically. The City shall submit drafts to consulting parties for review and comment per Stipulation VII.H. | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |
| HP28<br>Sec. 106 PA Stipulation VII.C | Following the procedures set forth in the PA, the City shall prepare materials for children that would educate them about relevant local history. The City shall submit drafts to consulting parties for review and comment per Stipulation VII.H.   | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |

| Mitigation ID and Reference               | Mitigation Measure   | Timing of Mitigation Measure  | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|---|--|---|---|--|
| HP29<br>Sec. 106 PA<br>Stipulation VII.D  | Following the procedures set forth in the PA, the City shall establish a Humanities Program that will explore human histories, cultures, and values. The City shall develop this program's goals in consultation with consulting parties and the City will provide \$100,000 to fund this program.   | City shall complete prior to beginning revenue service operation of the Project or when all designated funds are exhausted, whichever occurs later. | City  |  |
| HP30<br>Sec. 106 PA<br>Stipulation VII.E  | Following the procedures set forth in the PA, the City shall develop and implement an educational program and an effort designed to encourage the rehabilitation of historic properties in the Project area. The City shall submit drafts to consulting parties for review and comment per Stipulation VII.H.  | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |
| HP31<br>Sec. 106 PA<br>Stipulation VII.F  | Following the procedures set forth in the PA, the City will develop an educational field guide to historic properties and districts along the transit route. The City shall submit drafts to consulting parties for review and comment per Stipulation VII.H.  | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |
| HP32<br>Sec. 106 PA<br>Stipulation VII.G  | Following the procedures set forth in the PA, the City shall invite consulting parties to a kick-off meeting to develop a work plan for all materials described in Stipulation VII.  | City shall complete prior to beginning revenue service operation of the Project.  | City  |  |
| HP33<br>Sec. 106 PA<br>Stipulation VIII.A | Following the procedures set forth in the PA, the City shall mark, store securely, and replace all lava rock curbstones.   | Construction  | City  |  |
| HP34<br>Sec. 106 PA<br>Stipulation VIII.B | Following the procedures set forth in the PA, the City shall maintain or replace the guard rails on the Kapalama Canal Bridge to match the historic appearance. The City shall consider the Secretary of the Interior's Standards for the Treatment of Historic Properties in developing draft plans to provide to SHPD for review per Stipulation IV. | Prior to final design and during construction   | City  |  |

| Mitigation ID and Reference                | Mitigation Measure  | Timing of Mitigation Measure   | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|--|---|--|
| HP35<br>Sec. 106 PA<br>Stipulation VIII.C. | Following the procedures set forth in the PA, the City shall replace each true kamani trees on its original location or as close to it as possible.   | Construction   | City  |  |
| HP36<br>Sec. 106 PA<br>Stipulation VIII.D. | Following the procedures set forth in the PA, the City shall plan and implement improvements to historic parks adversely affected by the Project. Project funds in the sum of \$750,000 shall be budgeted for implementation of the parks improvement plan. City shall invite consulting parties to a kickoff meeting to discuss the parks plan.    | City shall complete prior to beginning revenue service operation of the Project. | City  |  |
| HP37<br>Sec. 106 PA<br>Stipulation IX.A    | Following the procedures set forth in the PA, the City shall create and staff a position for a qualified architectural historian whose primary responsibility will be to fulfill the PA.  | Within 6 months of execution of the PA   | City  |  |
| HP38<br>Sec. 106 PA<br>Stipulation IX.B    | Following the procedures set forth in the PA, the City shall establish a Historic Preservation Committee for the Project, specify its purpose and functions, and initiate its first meeting.  | Within 3 months of execution of the PA   | City  |  |
| HP39<br>Sec. 106 PA<br>Stipulation IX.C    | Following the procedures set forth in the PA, the City shall report to the consulting parties on all applications for building demolition and on all City-generated construction projects within certain specified areas of the Project, and shall perform an analysis of the frequency of these activities from the recent past up to the present. | Continuously until PA expires  | City  |  |
| HP40<br>Sec. 106 PA<br>Stipulation IX      | The City shall follow Stipulation IX.E for handling unanticipated cumulative adverse effects in the Chinatown and Merchant Street Historic Districts.   | Continuously until the PA expires.   | City  |  |
| HP41<br>Sec. 106 PA<br>Stipulation X       | The Construction Mitigation Plan for the Project developed by the City shall include provisions for protecting historic properties from construction noise and vibration impacts, and shall be implemented by the City through the construction contracts, according to the procedures set forth in the PA.   | Prior to construction of each phase  | City  |  |

| Mitigation ID and Reference              | Mitigation Measure  | Timing of Mitigation Measure                    | Responsible Party for Implementing Mitigation | Status of Implementation of this Project Element |
|--|---|---|---|--|
| HP42<br>Sec. 106 PA<br>Stipulation X.C   | Following the procedures set forth in the PA, the City will monitor Project construction to ensure measures in the CMP are implemented and shall provide a record of monitoring activities in progress reports pursuant to Stipulation XIV.E. | Construction                                    | City  |  |
| HP43<br>Sec. 106 PA<br>Stipulation X.D   | Following the procedures set forth in the PA, the City shall monitor transit noise at the Pearl Harbor National Historic Landmark.  | Within 1 year of the start of revenue operation | City  |  |
| HP44<br>Sec. 106 PA<br>Stipulation XI    | Following the procedures set forth in the PA, the City shall develop and conduct a training program for construction contractors and employees regarding appropriate sensitivity to historic resources.                                       | Prior to construction of each phase             | City  |  |
| HP45<br>Sec. 106 PA<br>Stipulation XI    | Following the procedures set forth in the PA, the City shall write semi-annual progress reports detailing progress in implementing the PA and shall post those report on the Project website.   | Semi-annually                                   | City  |  |
| HP46<br>Sec. 106 PA<br>Stipulation XIII  | Following the procedures set forth in the PA, the City shall keep the public informed through semi annual progress reports and will post them on the Project website.   | Continuously until the PA expires.              | City  |  |
| HP47<br>Sec. 106 PA<br>Stipulation XIV.E | Following the procedures set forth in the PA, the City shall provide all signatories to this PA a summary report detailing the work undertaken pursuant to its terms.   | Continuously until the PA expires.              | City  |  |